



HANNSPREE ST251MAB

- Luminosità 300 cd/mq
- Contrasto 1000:1/10.000:1
- Response Time 2ms
- Connessione HDMI, SCART
- Speaker 10W x 2
- DVB-T con Common Interface

Specifications

Display Size / Panel Type

24,6" (62,5 cm), TFT LCD

Native Resolution

1920 x 1080

Contrast (Typ.) / X-Contrast (Dyn.)

1000:1 (Typ.) / 10000:1 (Dyn.)

Brightness

300 cd/m²

Viewing Angle

170°/160°(H / V)

Response Time

2ms (GtG), 5 ms (Typ.)

Input Video Format

1080p, 1080i, 720p, 576i, 576p, 480i, 480p

Viewing Aspect Ratio

Full / Panorama / Zoom / Subtitle / Auto / Normal

TV System

DVB-T (with Common Interface) / PAL / SECAM

MHEG5

Yes

Colour System

NTSC / PAL / SECAM

Video Features

3D Comb Filter, 3D De-Interlacer, Noise Reduction, 3:2/2:2 Pull Down

Teletext (Memory)

Yes TV RF + AV (500 pages) / EPG (DTV)

Video Connection – Input 1, 2, 3

HDMI 1.3 x 2; YPbPr (Component) x 1; Full Scart x 1

Video Connection – Input 4, 5

VGA (PC) x 1; Composite x 1.

Speakers

10W x 2 Channel

Audio System

Nicam/A2, MPEGI & II

Audio Interface

HDMI / PC Line-in input x 1; AV/SV/Component R/L Audio Input x 1; Earphone Output x 1

Consumption

ON: 65W (Typical); Stand-By: < 1W (Typical)

OSD Languages

9 (English, French, German, Italian, Spanish, Portuguese, Hungarian, Dutch, Polish)

User's Manual (Total 20)

EN, DE, FR, SP, IT, PT, RU, NL, PL, DK, SW, NO, FI, HU, UA, CZ, BG, RO, GR, CR

Net Dimensions (W x H x D)

605 (W) x 442 (H) x 155 (D) mm with Base 605 (W) x 414 (H) x 74 (D) mm without Base

Package Dimensions (W x H x D)

688 (W) x 518 (H) x 221 (D) mm

Weight

Net Weight: 7,62Kg, Gross Weight: 9,25Kg

VESA Wall Mounting

Yes: 100 x 200mm, 6 screws, M4

Package Contents

User Manual, Quick Start Guide, Remote Control + Batteries, Cleaning Cloth, Power Cord.

Certifications

CE, Nemko Bauart, CB, Gost-R, Energystar, Weee & RoHS

Extras

Freeze Picture, Favourite Channel, Channel Edit, Sleep Timer